



111. Average 1-hour per response, including the time for review, editing, and posting to the database, following the collection of information. Send comments regarding this burden estimate or any other aspect of this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Avenue, Washington, DC 20540.

2

DTIC  
ELECTE  
APR 06 1993  
S E D

08 4 05 018

410571 93-07035 228

Standard Form 298 (Rev. 2-89)  
Prescribed by ANSI Std. Z39-18

20001026234

## GENERAL INSTRUCTIONS FOR COMPLETING SF 298

The Report Documentation Page (RDP) is used in announcing and cataloging reports. It is important that this information be consistent with the rest of the report, particularly the cover and title page. Instructions for filling in each block of the form follow. It is important to stay *within the lines* to meet optical scanning requirements.

### Block 1. Agency Use Only (Leave blank)

**Block 2. Report Date.** Full publication date including day, month, and year, if available (e.g. 1 Jan 88). Must cite at least the year.

**Block 3. Type of Report and Dates Covered.** State whether report is interim, final, etc. If applicable, enter inclusive report dates (e.g. 10 Jun 87 - 30 Jun 88).

**Block 4. Title and Subtitle.** A title is taken from the part of the report that provides the most meaningful and complete information. When a report is prepared in more than one volume, repeat the primary title, add volume number, and include subtitle for the specific volume. On classified documents enter the title classification in parentheses.

**Block 5. Funding Numbers.** To include contract and grant numbers; may include program element number(s), project number(s), task number(s), and work unit number(s). Use the following labels:

C - Contract	PR - Project
G - Grant	TA - Task
PE - Program Element	WU - Work Unit Accession No.

**Block 6. Author(s).** Name(s) of person(s) responsible for writing the report, performing the research, or credited with the content of the report. If editor or compiler, this should follow the name(s).

**Block 7. Performing Organization Name(s) and Address(es).** Self-explanatory.

**Block 8. Performing Organization Report Number.** Enter the unique alphanumeric report number(s) assigned by the organization performing the report.

**Block 9. Sponsoring/Monitoring Agency Name(s) and Address(es).** Self-explanatory.

**Block 10. Sponsoring/Monitoring Agency Report Number.** (If known)

**Block 11. Supplementary Notes.** Enter information not included elsewhere such as: Prepared in cooperation with...; Trans. of...; To be published in... When a report is revised, include a statement whether the new report supersedes or supplements the older report.

### Block 12a. Distribution/Availability Statement.

Denotes public availability or limitations. Cite any availability to the public. Enter additional limitations or special markings in all capitals (e.g. NOFORN, REL, ITAR).

DOD - See DoDD 5230.24, "Distribution Statements on Technical Documents."

DOE - See authorities.

NASA - See Handbook NHB 2200.2.

NTIS - Leave blank.

### Block 12b. Distribution Code.

DOD - Leave blank.

DOE - Enter DOE distribution categories from the Standard Distribution for Unclassified Scientific and Technical Reports.

NASA - Leave blank.

NTIS - Leave blank.

**Block 13. Abstract.** Include a brief (*Maximum 200 words*) factual summary of the most significant information contained in the report.

**Block 14. Subject Terms.** Keywords or phrases identifying major subjects in the report.

**Block 15. Number of Pages.** Enter the total number of pages.

**Block 16. Price Code.** Enter appropriate price code (*NTIS only*).

**Blocks 17. - 19. Security Classifications.** Self-explanatory. Enter U.S. Security Classification in accordance with U.S. Security Regulations (i.e., UNCLASSIFIED). If form contains classified information, stamp classification on the top and bottom of the page.

**Block 20. Limitation of Abstract.** This block must be completed to assign a limitation to the abstract. Enter either UL (unlimited) or SAR (same as report). An entry in this block is necessary if the abstract is to be limited. If blank, the abstract is assumed to be unlimited.

A Cultural Resources Survey of the  
Old Town Bend Revetment  
Phillips County, Arkansas-- Negative Finding Report

U.S. Army Corps of Engineers  
Memphis District

Jimmy McNeil  
Staff Archeologist

September 1985

Accession For	
NTIS	CRA&I <input checked="" type="checkbox"/>
DTIC	TAB <input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution	
Availability Codes	
Dist	Avail and/or Special
A-1	

DTIC QUALITY INSPECTED 1

### Abstract

On 10 September, an intensive cultural resources survey was conducted by the Environmental Analysis Branch of the U.S. Army Corps of Engineers, Memphis District Staff Archeologist, Mr. Jimmy McNeil, and Civil Engineer, Mr. David McNutt. Two failures at the Old Town Bend revetment were surveyed.

The two Old Town Bend areas are located in Township 4S, Range 5W, Section 14 NW 1/4 of the SE 1/4 of the SW 1/4, and Section 14 SE 1/4 of the SE 1/4 of the SW 1/4 of the Modoc, Arkansas-Mississippi Quadrangle Map. The repair area covers approximately 1.4 acres, each adjacent to the Mississippi River.

The proposed work includes repair and maintenance of the existing revetments. Maintenance may include grading, replacing the concrete skirt, and riprapping the top bank.

A literature search and a pedestrian survey did not locate any prehistoric, historic, or architectural sites within the project right-of-way.

## Table of Contents

Abstract	i
Table of Contents	ii
Introduction	1
Project Description	1
Environmental Setting	1
Previous Research	2
Results of the Records Search	3
Survey Methodology and Results	3
Recommendations	4
References Cited	5

### Maps

Map 1	Overall view of the Old Town Bend Project area.
Map 2	Enlarged view of the Old Town Bend Project area.

### Introduction

An intensive survey for cultural resources was conducted by Memphis District Archeologist, Mr. Jimmy McNeil, and Civil Engineer, Mr. David McNutt, on 10 September 1985, within the Old Town Bend revetment right-of-way as directed by the U.S. Army Corps of Engineers, Memphis District. The study was performed as required by the National Environmental Policy Act of 1969 (Public Law 91-190), Protection and Enhancement of Cultural Historic and Cultural Properties (36CFR 800), and the National Historic Preservation Act of 1966 (Public Law 898-665).

### Project Description

The Old Town Bend revetment is located in Phillips County, Arkansas, Township 4S, Range 5W, Section 14 NW 1/4 of the SE 1/4 of the SW 1/4, and Section 14 SE 1/4 of the SE 1/4 of the SW 1/4 at river mile 642R and 643R, ranges 305-307 and 302-304, on the Modoc, Arkansas-Mississippi Quadrangle. The project will affect only the proposed revetment maintenance and repair area and the new revetment construction area (Maps 1 and 2). Equipment will be brought in by boat.

### Environmental Setting

The project lies within the Mississippi River meander belt where alluvial deposits are more than 200 feet thick over unconsolidated material. Elevations range from 148 feet to 175 feet with a slope ranging from

1 to 3 percent. The higher elevations are mainly natural levees along present or old streams (Hogan and Gray 1974:2). The elevations and slopes do not apply to the man-made levees. Drainage is by bayous, sloughs, and man-made ditches.

The climate is generally warm during the summer and mild during the winter. Occasionally, there will be extremes in heat and cold temperatures. A great deal of the woodlands area in the county has been cleared. However, small areas of trees may be found near the edge of bayous and along the Mississippi River. Primarily, the trees are willow, oak, cottonwood, hackberry, and sycamore. Underbrush consists of cane, honeysuckle, blackberry and wild grape.

Fauna in the area are not plentiful. Mammals include: rabbit, squirrel, raccoon, deer, possibly mink, muskrat, and beaver. Numerous cottonmouths, rattlesnakes, and other reptiles are reported in the area.

#### Previous Research

Enough work has been conducted in the general area of the project, by such researchers as Phillips, Ford and Griffin (1951), to isolate and date major cultural periods. However, little survey research has been conducted in the immediate vicinity of the project. The most recent intensive survey work in this area was conducted by Soil Systems, Incorporated (1977), and McNeil (1982, 1984), both for the Memphis District, U.S. Army Corps of Engineers.

### Results of the Records Search

The Arkansas Archeological Survey was not contacted for a records search because of the extremely small size of the project and the previous work conducted there. The National Register of Historic Places were consulted and no prehistoric, historic, or architectural cultural remains were recorded within the project area.

### Survey Methodology and Results

The Old Town Bend revetment maintenance project areas was approximately 1.4 acres each in size. The survey limits extended 60.96 meters behind top bank and 30.48 meters on either side of the failure. The surface directly behind top bank was covered with grasses, bushes and trees, visibility was zero percent. However, a few meters behind top bank the ground had been plowed and rained on providing perfect visibility. The area of failure provided a clean view of the subsurface stratigraphy. The area profile was surface sand deposit to approximately 20 cm deep; 20 cm-190 cm was brown sandy clay alternating with light brown sand (each varve about 10 cm thick); 190 cm to unknown was blocky grayish brown clay.

Because of the poor visual conditions along top bank, shovel test units were dug every 30 meters. The field area was visually searched. Shovel cuts and along the eroding revetment profiles revealed no artifacts, features, nor soil discoloration that would indicate archeological sites.



The survey methodology used does not eliminate the possibility of encountering deeply buried sites. Therefore, it is recommended that any site encountered during construction be protected from further damage, by stopping construction until its significance can be determined by the Environmental Resources Branch, Memphis District, U.S. Army Corps of Engineers in conjunction with the Arkansas Historic Preservation Program.

References Cited

Hogan, Jerry L. and James C. Gray

- 1974 Soil Survey, Phillips County, Arkansas. U.S. Dept. of Agriculture, Soil Conservation Service and Forest Service in cooperation with Arkansas Agricultural Experimental Station. Washington. D.C.

McNeil, Jimmy D.

- 1982 A Cultural Resources Survey of the Old Town Bend and Knowlton Revetments Phillips County, Arkansas. In-house document for the U.S. Army Corps of Engineers, Memphis District, Memphis, Tennessee.
- 1984 A Cultural Resources Survey of the Old Town Bend Revetment Phillips County, Arkansas. A Negative Finding Report. In-house document for the U.S. Army Corps of Engineers. Memphis District, Memphis, Tennessee.

Phillips, Philip, James A. Ford and James B. Griffin.

- 1951 Archaeological Survey in the Lower Mississippi Alluvial Valley, 1940-1947. Papers of the Peabody Museum of American Archaeology and Ethnology, Harvard University, Volume XXV. Cambridge.

Soil Systems, Incorporated

- 1977 Long Lake Bayou Cultural Resources Survey and Reconnaissance. Prepared for the U.S. Army Corps of Engineers, Memphis District. Memphis, Tennessee.



